

2022 Updated Verified Pass 101 Study Guides & Best Courses [Q92-Q110]



2022 Updated Verified Pass 101 Study Guides & Best Courses
Ultimate Guide to the 101 - Latest Edition Available Now

Exam Specifics

This 101 Application Delivery Fundamentals test will be computer-based and comprises 80 multiple-choice questions that you are required to complete within 90 minutes. To pass it, you will have to achieve a minimum score of 69%. To know more, you are allowed to retake your test if you fail but you will have to wait a certain number of days until you are permitted to do so. The cost of such an exam is 135 USD per attempt, excluding local taxes and fees.

For more info visit:
[F5 101 Exam Reference](#)

QUESTION 92

Which of the following is correct regarding static parameters?

- * A static parameter is stored in a frame cookie.
- * A static parameter is predefined by the web application logic.

- * A static parameter is learned only by using the Deployment Wizard.
- * A static parameter is mapped once when creating the application flow model.

QUESTION 93

Select F5 platforms have which three certifications?

- * FIPS
- * SECG
- * NEBS
- * IEEE
- * Common Criteria
- * AFSSI

QUESTION 94

Although APM can interoperate with LTM, it is unable to use iRules for advanced processing.

- * True
- * false

QUESTION 95

An administrator deploys a site in which the load balancer only sees the ingress traffic from the client All egress traffic from the server bypasses the load balancer.

Which type of solution is this?

- * packet forwarding architecture
- * delayed binding
- * switching
- * Full proxy architecture

QUESTION 96

A monitor has been defined with an alias port of 443. All other options are left at their defaults.

The administrator wishes to assign it to a pool of members where the members' ports vary. Which is the result?

- * For each member, if the member port is not 443, the member will be marked down. For each member, if the member's port is not 443, the member will be marked down.
- * For each member, the monitor will test member node at port 443. For each member, the monitor will test the member's node at port 443.
- * For each member. If it is running an SSL service at the member port, the monitor may work.

Otherwise, the monitor will fail and the member for each member, if it is running an SSL service at the member port, the monitor may work. Otherwise, the monitor will fail and the member will be marked down.

- * This assignment is not allowed since the port do not match.

QUESTION 97

What are the two most common methods of placing a BIG-IP device into a network environment?

(Choose two.)

- * Channeled configuration
- * VLAN configuration
- * NAT configuration
- * SNAT configuration
- * Asymmetric configuration
- * Routed configuration

QUESTION 98

Which three of these software modules can you layer on top of LTM on a BIG-IP device? (Choose three.)

- * Web Accelerator
- * APM
- * ARX
- * GTM
- * Firepass
- * Enterprise Manager

Explanation

These software modules can you layer on top of LTM on a BIG-IP device are AAM, APM and GTM.

QUESTION 99

Which two daemons only run after the entire license process has been completed? (Choose two.)

- * zrd
- * tmm
- * ntpd
- * gtm

QUESTION 100

A user's access to resources can change based on the computer they connect from.

- * True
- * False

Explanation/Reference:

QUESTION 101

What is a common use of an iRule?

- * to modify application traffic between the client and server
- * to create a reusable application delivery template
- * to integrate a BIG IP into an enterprise orchestration tool
- * to create an accelerated session between two BIG-IP devices

QUESTION 102

A device needs to decrypt traffic and send unencrypted traffic to the web server. Which method should the BIG-IP Administrator use?

- * SSL Optimization
- * SSL Caching
- * SSL Termination

- * SSL Bridging

QUESTION 103

What occurs when a save-config command is issued?

- * The current configuration files are backed up.
- * The current configuration files are verified for syntax, then the running configuration is installed in memory.
- * The current configuration files are loaded into memory.
- * The current configuration files are saved into an archive format.

QUESTION 104

A user is building a security policy using the Deployment Wizard and the Rapid Deployment application template. By default, which settings will be applied to the security policy? (Choose 3)

- * Data Guard will be enabled.
- * The enforcement mode will be set to transparent.
- * The encoding language will be set to auto detect.
- * Wildcard tightening will be enabled on file types and parameters.
- * The Attack signature set applied will be Generic Detection Signatures.

QUESTION 105

Which protocol is used for control and session establishment for streaming media?

- * RTP
- * DTLS
- * SMB
- * RTSP

Referance: <https://stackoverflow.com/questions/4303439/what-is-the-difference-between-rtp-or-rtst-in-streaming-server>

QUESTION 106

in which scenario is a full proxy TCP connection required?

- * when SIP UP P load balancing is defined
- * when DNS load balancing is configured
- * when compression is enabled
- * when layer 3 load balancing is configured

QUESTION 107

You have a pool of servers that need to be tested. All of the servers but one should be tested every 10 seconds, but one is slower and should only be tested every 20 seconds. How do you proceed?

- * It cannot be done. All monitors test every five seconds.
- * It can be done, but will require assigning monitors to each pool member.
- * It cannot be done. All of the members of a pool must be tested at the same frequency.
- * It can be done by assigning one monitor to the pool and a different monitor to the slower pool member.

QUESTION 108


Click the Exhibit Button an LTM has the 3 virtual servers, a SNAT defined, four self IP addresses defined and the networks shown in the exhibit. Selected options for each object are shown below. Settings not shown are at their defaults.

```
VirtualServer 1
Destination: 10.10.1.102:80 netmask 255.255.255.255
Pool: Pool with 3 members in the 172.16/16 network
SNAT Automap enabled

VirtualServer2
Destination: 10.10.1.102:* netmask
255.255.255.255
Pool: Pool with 3 members in the 192.168/16 network

VirtualServer 3
Destination: 10.10.2.0:80 netmask 255.255.255.0
Type: IP Forwarding
SNATI Source IP: All Addresses
SNAT Address: SNAT Pool with 2 members 172.16.20.50 and 192.168.10.50
Self IPs 192.168.1.1;
172.16.1.1; 10.10.2.1; 10.10.1.1
```

A connection attempt is made with a source IP and port of 10.20.100.50:80 and a destination IP and port of 10.10.2.10:80. When the request is processed, what will be the source and destination IP addresses?



- * The request will be dropped.
- * Source IP: Either 172.16.20.50 or 192.168.10.50; Destination IP: 10.10.2.10
- * Source IP: 10.20.100.50; Destination IP: 10.10.2.10
- * Source IP: 10.10.2.1; Destination IP: 10.10.2.10

QUESTION 109

Why would an administrator capture monitor traffic between a BIG-IP and servers?

- * Viewing monitor traffic could help the administrator to define a more robust monitor.
- * If a client were having difficulty logging into a load-balanced SSH server, viewing and analyzing the connection process would determine the reason.
- * Only client traffic may be captured; monitor traffic may not be captured.
- * If client traffic to servers was failing, viewing and analyzing monitor traffic would determine the reason.

QUESTION 110

Which three are GTM server dynamic load balancing modes? (Choose three.)

- * Packet Rate
- * Virtual Server Score
- * CPU
- * Fallback IP
- * Ratio

The Global Traffic Manager supports the following dynamic load balancing modes:

Completion Rate

CPU

Hops

Kilobytes/Second

Least Connections

Packet Rate

Quality of Service (QoS)

Round Trip Times (RTT)

Virtual Server Score

VS Capacity

Dumps MoneyBack Guarantee - 101 Dumps Approved Dumps: https://www.test4engine.com/101_exam-latest-braindumps.html

]