## [Aug 03, 2022 Get New C\_FIOAD\_2020 Certification ? Valid Exam Dumps Questions [Q31-Q47



[Aug 03, 2022] Get New C\_FIOAD\_2020 Certification – Valid Exam Dumps Questions 100% Passing Guarantee - Brilliant C\_FIOAD\_2020 Exam Questions PDF

**NO.31** You want to set up SAP Fiori for SAP S/4HANA following the central hub deployment. What communication do you need to consider at the SAP web Dispatcher level? There are 3 correct answers to this question.


- \* InA Search requests with BES System
- \* OData requests with FES system
- \* HTTP requests with SAP HANA extended application services
- \* OData requests with SAP HANA
- \* HTML requests with FES system

**NO.32** You want to configure notifications for SAP Fiori in an embedded deployment scenario. Which of the following steps do you have to perform? There are 3 correct answers to this question.

- \* Maintain and activate push channel with ID SAP\_WEBSOCKET.
- \* Create bgRFC destination IWNGW\_BGRFC.
- \* Activate ICF service /sap/opu/odata4 for OData V4.
- \* Provide the backend system alias.

\* Register bgRFCinbound destination IWNGW\_BEP\_OUT\_ BGRFC

**NO.33** You are maintaining a user master record in AS ABAP. What can you conclude from the value Fl in the User Group field as highlighted in the screenshot below?



- \* Only user administrators with authorization S\_USER\_GRP = Fl can maintain the current user.
- \* The current user is user administrator for users assigned to user group Fl.
- \* This entry is for reporting reasons only.
- \* The current user gets additional authorizations that are assigned to user group Fl in transaction SUGR.

**NO.34** Which databases are supported for an SAP Fiori FES 6.0 central hub system when combined with an SAP S/4HANA 1909 BES system? There are 3 correct answers to this question.

- \* Oracle Database
- \* SAP IQ
- \* SAP ASE
- \* SAP MaxDB
- \* SAP HANA

**NO.35** The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? There are 2 correct answers to this question.

- \* By assigning the correct target mappings, shipped via catalog /U12/CLASSICAL\_GUI\_MENU
- \* By assigning the authorization to start transaction SEARCH\_SAP\_MENU
- \* By providing an HTTP destination type H named FIORI\_CLASSICUI\_HTTPS (transaction SM59)
- \* By applying the correct settings in the SAP Fiori launchpad configuration (transaction /UI2/FLP\_SYS\_CONF or /UI2/FLP\_CUS\_CONF)

**NO.36** In what way can SAP Fiori search requests be forwarded to an SAP S/4HANA system? There are 2 correct answers to this question.

\* As an OData request to ESH\_ADMIN\_SRV

- \* As an HTTP request to the connector administration cockpit
- \* As an InA request to SAP HANA enterprise search
- \* As an OData request to ESH\_SEARCH\_SRV

NO.37 You want to perform rapid activation for SAP Fiori. In what order should you run the task lists?

\* SAP\_GW\_FIORI\_ERP\_ONE\_CLNT\_SETUP

SAP FIORI CONTENT ACTIVATION

SAP\_FIORI\_FOUNDATION\_S4

\* SAP\_FIORI\_FOUNDATION\_S4

SAP GW FIORI ERP ONE CLNT SETUP

SAP\_FIORI\_CONTENT\_ACTIVATION

\* SAP\_GW\_FIORI\_ERP\_ONE\_CLNT\_SETUP

SAP FIORI FOUNDATION S4

SAP\_FIORI\_CONTENT\_ACTIVATION

\* SAP\_FIORI\_FOUNDATION\_S4

SAP FIORI CONTENT ACTIVATION

SAP GW FIORI ERP ONE CLNT SETUP

**NO.38** You have installed an SAP S/4HANA 199 system. In transaction SM5 you observe that 1 dialog work processes are configured on the PAS instance. Which settings could be responsible for this? There are 2 correct answers to this question.

- \* The settings in the PAS instance profile
- \* The default settings in the SAP kernel
- \* The settings in an operation mode
- \* The settings in the PAS instance start profile

**NO.39** You want to set up SAP Fiori search for SAP S/4HANA 1610. What should you do in the BES system? There are 2 correct answers to this question.

- \* Run task list SAP\_ESH\_INITIAL\_SETUP\_WRK\_CLIENT
- \* Run task list SAP\_ESH\_INTIAL\_SETUP\_000\_CLIENT
- \* Assign role SAP\_ESH\_LOCAL\_ADMIII to your user
- \* Assign role SAP\_ESH\_SEARCH to your user

**NO.40** What is the starting point of rapid activation for SAP Fiori?

- \* Business catalogs
- \* Business catalog groups
- \* Business users
- \* Business roles

**NO.41** Which selection options do you have when you execute program /UI2/INVALIDATE\_CLIENT\_CACHES? There are 2 correct answers to this question.

- \* For the current client
- \* For all users

- \* For all clients
- \* For a selected user

NO.42 What can be created based on ABAP CDS views? There are 3 correct answers to this question.

- \* SAP Gateway services
- \* SAP Fiori elements
- \* Database tables
- \* SAP Fiori catalogs
- \* Search connectors

**NO.43** What are the advantages of using central hub deployment in an SAP Fiori environment compared to embedded deployment? There are 3 correct answers to this question.

- \* Independent lifecycles of SAPUI5 Applications and back-end implementations
- \* Improved Security for internet-facing scenarios
- \* Support of routing and composition of multiple BES Systems
- \* Improved data changes tracking when using a single service user in the BES system
- \* Better performance by reducing the number of remote function calls

NO.44 Which SAP Fiori floor plan provides domain-specific information for a user on a single page?

- \* Overview page
- \* Object page
- \* Analytical list page
- \* Launch page

NO.45 How can you register multiple SAP Gateway services simultaneously? There are 2 correct answers to this question.

- \* Using transaction /IWFND MAINT SERVICE.
- \* Using task list SAP\_GATEWAY\_BASIC\_CONFIG.
- \* Using transaction IWFND GW\_CLIENT.
- \* Using task list SAP GATEWAY ACTIVATE ODATA SERV.

**NO.46** In a newly installed ABAP-based SAP system, you want to support HTTPS communication between Web browsers and the ICM process(es). Which steps are relevant? There are 2 correct answers to this question.

- \* Maintain system profile parameters for metadata exchange.
- \* Maintain the system PSE.
- \* Maintain the SSL server standard PSE.
- \* Maintain system profile parameters for SSL.

**NO.47** You want to enable workflows for SAP Fiori in a central hub Deployment Scenario. Which system alias do you have to create in the FES System?

- \* Pointing to the BES system, marked for local applications, software version /IWPGW/BWF
- \* Pointing to the FES System, marked as local GW, Software version /IWPGW? BWF
- \* Pointing to the FES system, marked as a local GW, Software version DEFAULT
- \* Pointing to the BES system, marked for local applications software version DEFAULT

 $\textbf{Free} \ C\_FIOAD\_2020 \ braindumps \ download: \\ \underline{\text{https://www.test4engine.com/C\_FIOAD\_2020\_exam-latest-braindumps.html}]$