
Latest C-FIORDEV-22 Exam Real Tests Free Updated Today [Q50-Q74



Latest C-FIORDEV-22 Exam Real Tests Free Updated Today C-FIORDEV-22 Real Exam Question Answers Updated [Dec 30, 2022]

NO.50 You need to consume the OData Service from the Gateway to create a new SAP Fiori app in the SAP Business Application Studio. What value do you configure in the WebIDEUsage property for the destination in the SAP BTP?

- * odata_gen
- * odata_xs
- * odata_abap
- * dev_abap

NO.51 You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- * Reference the tile from Odata metadata
- * Reference the tile from a Technical Catalog provided by SAP
- * Reference the tile from a SAP Business Group
- * Reference the tile from a SAP Business Catalog

NO.52 Your customer extends an SAP Fiori app with View Replacement.

Which activities do you perform?

Note: There are 2 correct answers to this question.

- * Create an SAPUIS view that replaces the complete view.
- * Create an SAPUIS control that replaces the original control.
- * Verify that adding custom content in the Extension Points is NOT sufficient
- * Identify a specific SAPUIS control to be replaced

NO.53 What are Smart Controls?

- * Basic SAPUI5 controls recommended for standalone usage
- * SAPUI5 controls that can be rendered dynamically according to OData service annotations
- * Application templates for SAPUI5 applications to optimize development
- * The predecessor of Smart Templates

NO.54 What are the advantages of Local Annotations Over SADL-based Annotations? Note: There are 2 correct answers to this question.

- * Can Override the CDS based Annotations
- * All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible
- * Can handle Complex annotations which is not a bound to a single field or entity
- * Local Annotations are more reusable as compared to SADL based annotations

NO.55 You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system. What do you create to implement a deep insert? Note: There are 2 correct Answers to this question.

- * An object structure that defines the hierarchy.
- * A nested structure for Sales Order and Sales Order Items.
- * A flat structure with Sales Order and Sales Order Items, and then add an expand command.
- * An individual structures for both Sales Order and Sales Order Items, and then batch them.

NO.56 Which HTTP request methods does the SAP Gateway server use to compute and return a new eTag in a response header?Note: There are 2 correct Answers to this question.

- * PUT
- * GET
- * POST
- * DELETE

NO.57 In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

- * OUnit.module
- * This.calculator.press(wl");
- * eardown : function() {}
- * QUnit.test

NO.58 What result do you expect from the de-composition and re-composition phases? Note: There are 3 correct answers to this question.

- * A purpose-built app to support personas
- * A responsive de-composed design
- * The break-down of a large transaction
- * The prevention of irrelevant data being shown to the user
- * An adaptive and coherent app

NO.59 You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? Note: There are 2 correct Answers to this question.

- * Execute the Refresh method for an expired token.
- * Generate a token on each read and write request.
- * Retrieve the token and send it with each write request.
- * Include the token in the HTTP request body of each write request.

NO.60 Which SAP Fiori app types require the SAP HANA database? Note: There are 2 correct Answers to this question.

- * Transactional
- * Legacy
- * Analytical
- * Factsheet

NO.61 Which of the following floorplans also have a standard SAP Fiori Elements implementation available as a part of SAP Fiori 2.0? Note: There are 3 correct answers to this question.

- * Analytical List Page
- * Wizard
- * Initial Page
- * Overview Page
- * List Report

NO.62 You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? Note: There are 2 correct Answers to this question.

- * oninit
- * reset
- * confirm
- * listFilter

NO.63 Your customer asks you to add text for a new language to an app. Which file do you send to the translator?

- * 18n.properties
- * Master.view.xml
- * Manifest.json
- * Component.js

NO.64 Your customer requires that the SAPUI5 design of all apps matches their corporate theme. Which of the following actions do you perform? Note: There are 3 correct answers to this question.

- * Create a theme using the Theme Designer implementing the theme.
- * Create a model using the Web IDE implementing the theme
- * Reference the relevant artifacts in the bootstrap of the app.
- * Create a ess file using the Web IDE implementing the theme.
- * Create a module using the Web IDE implementing the theme.

NO.65 You need to bind data from a model to an SAPUI5 view control. Which of the following modes are valid? Note: There are 3 correct Answers to this question.

- * One-way binding
- * Resource-model binding
- * Three-way binding
- * One-time binding
- * Two-way binding

NO.66 What are Technical Catalogs used for?

Note: There are 2 correct answers to this question.

- * To store tiles and target mappings by technology per solution area
- * To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- * As a reference for Business Catalogs
- * As a reference for Business Groups

NO.67 You want to use transaction /UI2/FLP to start the SAP Fiori Launchpad using the Web Dispatcher. Which database table do you use to configure this?

- * HTTP_WHITELIST
- * HTTP_CSP_MADMIN
- * HTTP_MADMIM
- * HTTPURLLOC

NO.68 You need to bind data from a model to an SAPUI5 view control.

Which of the following modes are valid?

Note: There are 3 correct answers to this question.

- * One-time binding
- * Three-way binding
- * Resource-model binding
- * Two-way binding
- * One-way binding

NO.69 To which of the following does an SAP Fiori tile point to directly?

- * An SAP Fiori app
- * A target mapping with a semantic object and an action
- * An action
- * A semantic object

NO.70 You finalized your SAPUI5 app development in the SAP Web IDE. What are the platforms available for deployment? Note: There are 2 correct answers to this question.

- * Deploy to SAP Fiori launchpad
- * Deploy to SAP Cloud Platform

This page was exported from - Exam for engine Export date: Sun Mar 30 5:25:47 2025 / +0000 GMT

- * Deploy to SAPUI5 Java Repository
- * Deploy to SAPUI5 ABAP Repository

NO.71 Which tool can you use to generate SAPUI5 coding that is based on prototypes?

- * SAP Build
- * UI Theme Designer
- * SAP Business Application Studio
- * Adobe Flash

NO.72 What is the required content in the Component.js file for an extension project?Note: There are 2 correct Answers to this question.

- * The controller IDs
- * The namespace of the parent app
- * The link to the parent app
- * The customizing section

NO.73 Which of the following are features of the SAPUI5 SDK? Note: There are 2 correct Answers to this question.

- * Responsiveness across browsers on non-mobile devices only
- * Interface for Web Dynpro
- * Full translation support
- * Feature-rich UI controls for handling complex UI patterns

NO.74 You finalized your SAPUI5 app in the SAP Business Application Studio. To which of the following platforms can you deploy this app? Note: There are 2 correct Answers to this question.

- * SAP BTP
- * SAPUI5 Java repository
- * SAP Fiori launchpad
- * SAPUI5 ABAP repository

Latest C-FIORDEV-22 Study Guides 2022 - With Test Engine PDF:

https://www.test4engine.com/C-FIORDEV-22_exam-latest-braindumps.html]