


## Latest C-FIORDEV-22 Exam Real Tests Free Updated Today [Q50-Q74]



## Latest C-FIORDEV-22 Exam Real Tests Free Updated Today [Q50-Q74]

Latest C-FIORDEV-22 Exam Real Tests Free Updated Today  
C-FIORDEV-22 Real Exam Question Answers Updated [Dec 30, 2022]

**NO.50** You need to consume the OData Service from the Gateway to create a new SAP Fiori app in the SAP Business Application Studio. What value do you configure in the WebIDEUsage property for the destination in the SAP BTP?

- \* odata\_gen
- \* odata\_xs
- \* odata\_abap
- \* dev\_abap

**NO.51** You want to create a business catalog for all employees that contains a standard SAP Fiori app. How would you do this?

- \* Reference the tile from Odata metadata
- \* Reference the tile from a Technical Catalog provided by SAP
- \* Reference the tile from a SAP Business Group
- \* Reference the tile from a SAP Business Catalog

**NO.52** Your customer extends an SAP Fiori app with View Replacement.

Which activities do you perform?

Note: There are 2 correct answers to this question.

- \* Create an SAPUI5 view that replaces the complete view.
- \* Create an SAPUI5 control that replaces the original control.
- \* Verify that adding custom content in the Extension Points is NOT sufficient
- \* Identify a specific SAPUI5 control to be replaced

**NO.53** What are Smart Controls?

- \* Basic SAPUI5 controls recommended for standalone usage
- \* SAPUI5 controls that can be rendered dynamically according to OData service annotations
- \* Application templates for SAPUI5 applications to optimize development
- \* The predecessor of Smart Templates

**NO.54** What are the advantages of Local Annotations Over SADL-based Annotations? Note: There are 2 correct answers to this question.

- \* Can Override the CDS based Annotations
- \* All the Framework-Specific Annotations available as a part of CDS views are also available as a part of Annotation Modeler, which makes it highly flexible
- \* Can handle Complex annotations which is not a bound to a single field or entity
- \* Local Annotations are more reusable as compared to SADL based annotations

**NO.55** You develop an SAPUI5 app that updates data for sales order and sales order items on the back-end system. What do you create to implement a deep insert? Note: There are 2 correct Answers to this question.

- \* An object structure that defines the hierarchy.
- \* A nested structure for Sales Order and Sales Order Items.
- \* A flat structure with Sales Order and Sales Order Items, and then add an expand command.
- \* An individual structures for both Sales Order and Sales Order Items, and then batch them.

**NO.56** Which HTTP request methods does the SAP Gateway server use to compute and return a new eTag in a response header? Note: There are 2 correct Answers to this question.

- \* PUT
- \* GET
- \* POST
- \* DELETE

**NO.57** In the screenshot, which element of the Arrange-Act-Assert pattern corresponds to the Act in a QUnit test?

```
1
2 QUnit.module("Calculator", {
3     setup: function() {
4         this.calculator = new Calculator();
5     },
6     teardown: function() {}
7 });
8 QUnit.test("show zero initially", function(assert) {
9     assert.equal(this.calculator.display(), 0);
10 });
11 QUnit.test("display entered digit", function(assert) {
12     this.calculator.press("1");
13     assert.equal(this.calculator.display(), 1);
14 });
```

- \* QUnit.module
- \* This.calculator.press(wl&#8221;);
- \* eardown : function() {}
- \* QUnit.test

**NO.58** What result do you expect from the de-composition and re-composition phases? Note: There are 3 correct answers to this question.

- \* A purpose-built app to support personas
- \* A responsive de-composed design
- \* The break-down of a large transaction
- \* The prevention of irrelevant data being shown to the user
- \* An adaptive and coherent app

**NO.59** You develop an SAPUI5 app that updates data on the SAP back-end system. What activities are required when you implement an XSRF token? Note: There are 2 correct Answers to this question.

- \* Execute the Refresh method for an expired token.
- \* Generate a token on each read and write request.
- \* Retrieve the token and send it with each write request.
- \* Include the token in the HTTP request body of each write request.

**NO.60** Which SAP Fiori app types require the SAP HANA database? Note: There are 2 correct Answers to this question.

- \* Transactional
- \* Legacy
- \* Analytical
- \* Factsheet

**NO.61** Which of the following floorplans also have a standard SAP Fiori Elements implementation available as a part of SAP Fiori 2.0? Note: There are 3 correct answers to this question.

- \* Analytical List Page
- \* Wizard
- \* Initial Page
- \* Overview Page
- \* List Report

**NO.62** You develop an SAPUI5 app and implement a FacetFilter. What events are triggered when the user interacts with the FacetFilter control? Note: There are 2 correct Answers to this question.

- \* oninit
- \* reset
- \* confirm
- \* listFilter

**NO.63** Your customer asks you to add text for a new language to an app. Which file do you send to the translator?

- \* 18n.properties
- \* Master.view.xml
- \* Manifest.json
- \* Component.js

**NO.64** Your customer requires that the SAPUI5 design of all apps matches their corporate theme. Which of the following actions do you perform? Note: There are 3 correct answers to this question.

- \* Create a theme using the Theme Designer implementing the theme.
- \* Create a model using the Web IDE implementing the theme
- \* Reference the relevant artifacts in the bootstrap of the app.
- \* Create a ess file using the Web IDE implementing the theme.
- \* Create a module using the Web IDE implementing the theme.

**NO.65** You need to bind data from a model to an SAPUI5 view control. Which of the following modes are valid? Note: There are 3 correct Answers to this question.

- \* One-way binding
- \* Resource-model binding
- \* Three-way binding
- \* One-time binding
- \* Two-way binding

**NO.66** What are Technical Catalogs used for?

Note: There are 2 correct answers to this question.

- \* To store tiles and target mappings by technology per solution area
- \* To reference tiles and target mappings according to Segregation of Duties for example a Purchaser, a Buyer and so on
- \* As a reference for Business Catalogs
- \* As a reference for Business Groups

**NO.67** You want to use transaction /UI2/FLP to start the SAP Fiori Launchpad using the Web Dispatcher. Which database table do you use to configure this?

- \* HTTP\_WHITELIST
- \* HTTP\_CSP\_MADMIN
- \* HTTP\_MADMIM
- \* HTTPURLLOC

**NO.68** You need to bind data from a model to an SAPUI5 view control.

Which of the following modes are valid?

Note: There are 3 correct answers to this question.

- \* One-time binding
- \* Three-way binding
- \* Resource-model binding
- \* Two-way binding
- \* One-way binding

**NO.69** To which of the following does an SAP Fiori tile point to directly?

- \* An SAP Fiori app
- \* A target mapping with a semantic object and an action
- \* An action
- \* A semantic object

**NO.70** You finalized your SAPUI5 app development in the SAP Web IDE. What are the platforms available for deployment? Note: There are 2 correct answers to this question.

- \* Deploy to SAP Fiori launchpad
- \* Deploy to SAP Cloud Platform

- \* Deploy to SAPUI5 Java Repository
- \* Deploy to SAPUI5 ABAP Repository

**NO.71** Which tool can you use to generate SAPUI5 coding that is based on prototypes?

- \* SAP Build
- \* UI Theme Designer
- \* SAP Business Application Studio
- \* Adobe Flash

**NO.72** What is the required content in the Component.js file for an extension project?Note: There are 2 correct Answers to this question.

- \* The controller IDs
- \* The namespace of the parent app
- \* The link to the parent app
- \* The customizing section

**NO.73** Which of the following are features of the SAPUI5 SDK?Note: There are 2 correct Answers to this question.

- \* Responsiveness across browsers on non-mobile devices only
- \* Interface for Web Dynpro
- \* Full translation support
- \* Feature-rich UI controls for handling complex UI patterns

**NO.74** You finalized your SAPUI5 app in the SAP Business Application Studio.To which of the following platforms can you deploy this app?Note: There are 2 correct Answers to this question.

- \* SAP BTP
- \* SAPUI5 Java repository
- \* SAP Fiori launchpad
- \* SAPUI5 ABAP repository

**Latest C-FIORDEV-22 Study Guides 2022 - With Test Engine PDF:**

[https://www.test4engine.com/C-FIORDEV-22\\_exam-latest-braindumps.html](https://www.test4engine.com/C-FIORDEV-22_exam-latest-braindumps.html)