


## Dependable 156-835 Exam Dumps to Become CheckPoint Certified [Q16-Q35]



## Dependable 156-835 Exam Dumps to Become CheckPoint Certified [Q16-Q35]

**Dependable 156-835 Exam Dumps to Become CheckPoint Certified Get Ready with 156-835 Exam Dumps (2023) Q16.** What command will be used for updating fwkern.conf file on all Appliances within Security Group?

- \* g\_update\_conf\_file
- \* g\_update\_kernel
- \* vi
- \* g\_all update\_conf\_file

**Q17.** When running asg perf -v in a Dual-Site environment, we can see only Appliances from one of the sites. That means we're working in:

- \* VSL mode
- \* Active /Active
- \* Active / Standby HA mode
- \* This is not Dual-Site, in Dual-Site we always see Appliances from both sites

**Q18.** What is the default IP range of Sync network (with no increment)?

- \* The same as Management network
- \* 198.51.100.0
- \* 192.0.2.0
- \* 192.168.1.0

**Q19.** What is the minimal amount of cables needed in order to connect an Appliance to an Orchestrator?

- \* Three cables: uplink, downlink, SYNC
- \* One Downlink cable only
- \* Two cables: one uplink and one downlink
- \* Four cables: uplink, downlink, SYNC and Management

**Q20.** One single Appliance supports 1M concurrent connections. How many concurrent connections will support Security Group of 2 Appliances?

- \* 2M
- \* 500K
- \* 4M
- \* 1M

**Q21.** What is the default Distribution mode?

- \* User
- \* Auto-topology
- \* Manual-General
- \* Network

**Q22.** There's a 23800 appliance with quad NIC in slot 5. What would be the name of port 3 on this NIC?

- \* ethBP3-05
- \* ethsBP5-03
- \* ethsBP3-05
- \* ethsBP-05

**Q23.** What kinds of transceivers are supported on Orchestrator MHO-140?

- \* SFP, QSFP, QSFP28
- \* SFP, SFP+, QSFP, QSFP28
- \* SFP, SFP+, SFP28
- \* SFP+, SFP28, QSFP

**Q24.** What is the Iterator process?

- \* Iterator is the process that simulates distribution in case of Appliance failure
- \* Iterator is the process that follow Appliance recovery and simulates what was a distribution if recovered Appliance was alive
- \* Iterator is the process that runs on the Orchestrator and calculates a distribution in case of Appliance failure
- \* Iterator is the process that runs on the Orchestrator and calculates a distribution in case of Appliance recovery

**Q25.** What type of cluster can a Security Group can be compared to?

- \* VSLS
- \* Load Sharing Active /Active
- \* Active / Backup
- \* Active / Standby

**Q26.** Which command will be used in order to restart Orchestrator service only?

- \* orchd restart

- \* cpstop; cpstart
- \* reboot
- \* service orchestrator restart

**Q27.** Which is a valid requirement for a supported Maestro appliance?

- \* 10GBps and 40Gbps or 100Gbps card with double-VLAN and LLDP support
- \* At least one 10GBps line card
- \* Nothing special as Maestro supports any Check Point appliance
- \* Line card with double-VLAN and LLDP support

**Q28.** What is the Orchestrator?

- \* Load balancer
- \* Network Switch
- \* Manager of compute and network resources, load balancer and network switch
- \* None of above

**Q29.** Which setting is required in order to connect an appliance with 40Gbps downlink interface and DAC to the Orchestrator MHO-140?

- \* On Orchestrator: Change QSFP mode from 100Gbps to 40Gbps
- \* On Orchestrator: Change port type from uplink to downlink
- \* On Appliance: Change a port speed to 10Gbps
- \* No change required

**Q30.** What does asg monitor command do?

- \* Monitor health status of entire system
- \* This command does not exist
- \* Monitor traffic on Appliances in Security Group
- \* Show real-time cluster status of Appliances in Security Group

**Q31.** What is the purpose of RJ-45 connectors located at the front panel of the Orchestrator MHO-170?

- \* Two Out-of-band interfaces for access to Orchestrator itself
- \* Out-of-band interface for access to Orchestrator itself and Serial Console connector
- \* 1Gbps connectivity for Security Groups
- \* Reserved for internal purposes. Not in use

**Q32.** Orchestrator should be defined in SmartConsole as:

- \* Orchestrator is not defined in SmartConsole
- \* Check Point host
- \* Security Gateway
- \* Host

**Download Exam 156-835 Practice Test Questions with 100% Verified Answers:**

[https://www.test4engine.com/156-835\\_exam-latest-braindumps.html](https://www.test4engine.com/156-835_exam-latest-braindumps.html)