


[Jan-2023 Free PEGACLSA_62V2 Exam Questions PEGACLSA_62V2 Actual Free Exam Questions [Q66-Q81]



[Jan-2023] Free PEGACLSA_62V2 Exam Questions PEGACLSA_62V2 Actual Free Exam Questions [Q66-Q81]

[Jan-2023] Free PEGACLSA_62V2 Exam Questions PEGACLSA_62V2 Actual Free Exam Questions
Verified PEGACLSA_62V2 dumps and 150 unique questions

NEW QUESTION 66

A linked property can be best thought of as _____? (Choose One)

- * A reference to an external entity that is stored in a system of record
- * A pointer between two pages or properties
- * A property that can be referenced from any context at any time
- * A property that represents a PRPC-managed object
- * Another term for a reference property

NEW QUESTION 67

A PRPC Human Resources application is built to manage Benefit Enrollment.

Cases include the following:

– EnrollMedical (created when an employee enrolls in a Medical plan)

– EnrollDental (created when an employee enrolls in a Dental plan)

– EmployeeBenefits (created for each employee to manage the overall benefits; EnrollMedical is run first, followed by EnrollDental)

What are the likely classes for these case types and what are the likely case relationships between them? (Choose One)

- * MyCo-FW-BenefitEnrollment-Work-EmployeeBenefits (not a subcase) MyCo-FW-BenefitEnrollment-Work-EnrollMedical (subcase of MyCo-FW-BenefitEnrollment-Work- EmployeeBenefits) MyCo-FW-BenefitEnrollment-Work-EnrollDental (subcase of MyCo-FW-BenefitEnrollment-Work- EmployeeBenefits)
- * MyCo-FW-BenefitEnrollment-Work-EmployeeBenefits (not a subcase) MyCo-FW-BenefitEnrollment-Work-EmployeeBenefits-EnrollMedical (subcase of MyCo-FW-BenefitEnrollment-Work-EmployeeBenefits) MyCo-FW-BenefitEnrollment-Work-EmployeeBenefits-EnrollDental (subcase of MyCo-FW- BenefitEnrollment-Work-EmployeeBenefits)
- * MyCo-FW-BenefitEnrollment-Work-EmployeeBenefits (subcase of MyCo-FW- BenefitEnrollment-Work) MyCo-FW-BenefitEnrollment-Work-EnrollMedical (subcase of MyCo-FW-BenefitEnrollment-Work- EmployeeBenefits) MyCo-FW-BenefitEnrollment-Work-EnrollDental (subcase of MyCo-FW-BenefitEnrollment-Work- EmployeeBenefits)
- * MyCo-FW-BenefitEnrollment-Work-EmployeeBenefits (not a subcase) MyCo-FW-BenefitEnrollment-Work-EnrollMedical (subcase of MyCo-FW-BenefitEnrollment-Work- EmployeeBenefits) MyCo-FW-BenefitEnrollment-Work-EnrollDental (subcase of MyCo-FW-BenefitEnrollment-Work- EnrollMedical)

NEW QUESTION 68

Which of the following statements is TRUE with respect to PRPC integration with JMS? (Choose One)

- * PRPC only supports integration with JMS on EAR deployments
- * PRPC only supports integration with JMS on WAR deployments
- * PRPC supports MDB JMS listeners on EAR deployments and blocking JMS listeners on WAR deployments
- * PRPC supports MDB JMS listeners on WAR deployments and blocking JMS listeners on EAR deployments

NEW QUESTION 69

Using a PRPC-based application with the default lock timeout, you have requested a lock on a work item. PRPC responded by displaying a message indicating that you already hold a lock on that work item.

Which of the following describes the most likely reason? (Choose One)

- * System Pulse has not run yet to clear the lock string from the cache
- * A developer has customized the standard “DetermineLockString” activity and probably introduced a bug
- * You have not properly logged out of the system after working on that work item couple of days ago
- * You probably have a second PRPC Thread running

NEW QUESTION 70

Which of the following are the most appropriate situations to use Function Aliases? (Choose Two)

- * To make business rules, such as decision tree and expressions, easier to read and understand for business users
- * To allow the same utility function to be used with different parameter signatures
- * To reduce the risk of rule maintenance errors by limiting the allowed values to be passed to a utility function
- * To allow functions to be executed from activities and flows
- * To allow a single function to have both a technical and non-technical name to be used by both developers and business users

NEW QUESTION 71

Given the following classes and properties:

MyCo-Data-Shape-.Area .Color

MyCo-Data-Shape-Rectangle .Length .Width

MyCo-Data-Shape-Circle .Radius

A page list property is defined at the class group MyCo-FW-ShapeApp-Work. The property name is .Shapes and it is defined as being a Page List of class MyCo-Data-Shape-

Which of the following statements are NOT correct? (Choose Two)

- * At runtime .Shapes(1) could be of class MyCo-Data-Shape-Rectangle while .Shapes(2) is of class MyCo-Data-Shape-Circle
- * At runtime pages of .Shapes can be of either MyCo-Data-Shape-Rectangle or MyCo-Data-Shape-Circle but all pages must be the same.
- * At design time PRPC will provide a warning as it is not a good practice to define a page list with an abstract class
- * At design time an architect can create a rule in MyCo-Data-Shape-Circle regardless of if the rule exists in MyCo-Data-Shape-
- * A rule defined in MyCo-Data-Shape-Rectangle can modify the .Color property

NEW QUESTION 72

In a PRPC production environment, in which cache would you likely find a Rule-Declare-DecisionTree? (Choose One)

- * Conclusion Cache
- * Rule Assembly Cache
- * Rule Cache
- * Dictionary Cache

NEW QUESTION 73

Which of the following is a TRUE statement regarding alert threshold settings? (Choose One)

- * Modifying the default settings is not recommended, unless requested by Pegasystems Support
- * Changing the default settings should only be done when analyzing a performance issue
- * Alert threshold settings should be modified based on desired response times and size limits for the application
- * Threshold settings should only be modified for critical alerts

NEW QUESTION 74

Which two of the following statements about Enterprise Content Management (ECM) attachment type are most accurate? (Choose Two)

- * Using ECM attachments disables standard PRPC attachment functionality
- * A Connect CMIS rule must be configured to support the ECM attachment
- * To improve Performance, the data model structure of the content management system must be imported into PRPC
- * PRPC leverages the table `pc_data_workattach`; to store the link between work items and files in the CM repository
- * Content management integration can be enabled through the Application rule configuration

NEW QUESTION 75

Which of the following statements about Case Specialization are most accurate? (Choose Two)

- * Any Property visible to a case can be used to specialize the case
- * Case Specialization enables multiple case structures for the same case type
- * A Specialized case type can cover another specialized case type
- * A Specialized case type does not support automatic instantiation for its covered items
- * The starting process of a specialized case type is a circumstanced version of the base case starting flow

NEW QUESTION 76

In a Credit card dispute application, PRPC connects to an external service to receive the transactions made by the account holder. When the CSR (Customer Service Representative) is working on the dispute they should see only the last ten transactions made by the account holder. If the transaction that the account holder wants to dispute does not appear in the list then the CSR should perform a search by entering the date of transaction or the transaction amount or the merchant name. The transaction list should display the 10 transactions that satisfies the criteria. In any circumstance the CSR should not see more than 10 transactions in the screen and cannot paginate through results. The external service returns transactions ordered by date of transaction with the recent ones appearing first.

Given the above requirements, which of these approaches is most appropriate and would satisfy both these requirements? (Choose One)

- * Invoke the activity that makes a connector call to get the list of transactions from an external service before the flow action is rendered. Write a data transform to copy the connector result to a declare page. Create a repeating grid layout using the declare page as its source. Display the first 10 results of the declare page by using the pagination setting First X results
- * Invoke the activity that makes a connector call to get the list of transactions from an external service before the flow action is rendered so that all transactions are available on the clipboard. When a search parameter (transaction date, amount and merchant name) is specified, use a data transform to copy the appropriate subset of the transaction to a new page
- * Create a thread level declare page which uses an activity as its source. The activity will invoke the connector activity and then copy only the first 10 pages to the declare page. Display the first 10 results of the declare page by using the pagination setting First X results
- * Create a thread level declare page which uses an activity as its source. This activity will invoke the connector activity and then copy only the first 10 pages to the pagelist property defined in the declare page; this property is used as a source for the repeating grid. A when rule would be used to control when the results are fresh based on the values of the search parameters (transaction date, amount and merchant name)

NEW QUESTION 77

MyCo uses PRPC application to process claims. One of the user groups involved in the process should be able to perform assignments on any piece of urgent work no matter who it is assigned to using the get most urgent functionality.

Which of the following approaches would you most likely take to ensure that workers from that user group would perform any urgent work no matter who it is assigned to? (Choose One)

- * Attribute the highest skills level to the workers in that user group
- * Create a special Role for the workers in that user group. Update the standard activity supporting the Get most urgent functionality to bypass any security measure if the user has that special role
- * Circumstance the standard List view rule used by Get Most Urgent; to pull work from workers worklist based on user's workgroup. Update the circumstanced version to not check the assigned operator
- * Create a special privilege rule to the workers in that user group. Make sure only workers from that group have been attributed the privilege

NEW QUESTION 78

An application has requirements to handle the following inbound email use cases:

UC-1 Creating new work for email received at help@myco.com.

UC-2 Executing business actions (such as an approval) via email

UC-3 Support for email conversations for email received at reply@myco.com, i.e. reply messages are automatically attached to the original work item

Which of the use cases are supported by standard PRPC email processing? (Choose One)

- * UC-1 Only
- * UC-1 and UC-2
- * UC-1 and UC-3
- * All use cases are supported

NEW QUESTION 79

Which of the following changes to a flow is least likely to cause issues with existing assignments in a production environment? (Choose One)

- * Renaming an assignment
- * Replacing an assignment with a new one with the same name
- * Adding or removing flow actions to an assignment
- * Replacing an assignment with a subflow shape

NEW QUESTION 80

You have been asked to build a human resources application that facilitates the work required to support new hires. For each new hire, multiple tasks must be done, such as Acquire Computer and Setup Payroll. You are having trouble deciding if each of these tasks should be represented as separate assignments in the same case, or separate sub-cases.

Which of the following requirements will help you decide on the approach? (Choose Two)

- * It must be possible for Acquire Computer and Setup Payroll to be assigned to different operators at the same time
- * It must be possible for the completion of one task to be independent from the other
- * It must be possible to edit fields for Acquire Computer and Setup Payroll at the same time
- * It must be possible to configure security differently; those who can open Acquire Computer must not be able to open Setup Payroll
- * Acquire Computer and Setup Payroll require the capability to be reopened independently

NEW QUESTION 81

A Connector rule is configured in PRPC to run asynchronously.

Which of the following statements is the most accurate with regard to its configuration or execution? (Choose One)

- * Using the Run in Parallel option requires the users to hold a specific privilege
- * When using the queue functionality the connector's response is not available to the calling activity
- * When using the queue functionality you must also build the queue to be used by PRPC
- * The Page-Merge-Into method performs better than the Connect-Wait method when needed to

get the connector response

Latest 100% Passing Guarantee - Brilliant PEGACLSA_62V2 Exam Questions PDF:

https://www.test4engine.com/PEGACLSA_62V2_exam-latest-braindumps.html