# [2023 DES-1121 by DCS-IE Actual Free Exam Practice Test [Q19-Q41



[2023] DES-1121 by DCS-IE Actual Free Exam Practice Test Free DCS-IE DES-1121 Exam Question


EMC DES-1121 is a certification exam designed for IT professionals who specialize in implementation engineering of PowerMax and VMAX family solutions. DES-1121 exam is intended to test the candidate's knowledge and skills in designing, deploying, and managing solutions based on EMC PowerMax and VMAX storage systems. The EMC DES-1121 certification is recognized globally and is highly valued in the IT industry.

EMC DES-1121 certification exam covers a variety of topics related to PowerMax and VMAX Family Solutions, including Storage Provisioning, Storage Allocation, Storage Management, and Data Migration. DES-1121 exam also covers topics related to Storage Networking, such as Fibre Channel and iSCSI. Candidates must pass the exam with a score of 60% or higher to earn the certification.

#### **NEW QUESTION 19**

An SRDF/Metro pair was created with vWitness After a network outage, the administrator discovers that the SRDF pair is in an ActiveBias state What is the correct sequence of events to bring the SRDF pair into an ActiveActive state?

Suspend the SRDF/Metro pair	STEP 1
Verify that the Bias is set to the correct site	STEP 2
Establish the SRDF/Metro and select the "Witness" option	STEP 3
Ensure vWitness is in an Alive state for both the source and target systems	STEP 4



What are the Compliance levels tor Storage Groups in Unisphere for PowerMax?

- \* Critical, Marginal. Warning, and No Status
- \* Fatal Critical Warning, and No Status
- \* Fatal. Critical. Stable, and No Status
- \* Critical, Marginal. Stable, and No Status

## **NEW QUESTION 21**

A systems administrator plans to use Non-Disruptive Migration (NDM) to migrate data from a VMAX array running Enginuity 5876 to a PowerMax running PowerMaxOS 5978 Which NDM mode will be used?

- \* Metro-based
- \* Adaptive Copy
- \* Asynchronous
- \* Pass-through

https://www.delltechnologies.com/asset/en-us/products/storage/technical-support/h17133-non-disruptive-migration-best-practices-and-operational-guide.pdf

# **NEW QUESTION 22**

A systems administrator is performing a configuration change on a PowerMax array. Where does the configuration manager perform the change?


- \* Host which performs the change
- \* MMCS
- \* Disk drives
- \* SYMAPI

How does Solutions Enabler use Gatekeepers to pass commands to the PowerMax array?

- \* Automatically creates the Gatekeeper and unlocks the device. Processes the system commands; locks and deletes the Gatekeeper
- \* Obtains the Gatekeeper and locks the device. Processes the system commands and unlocks the device
- \* Obtains the Gatekeeper and unlocks the device Processes the system commands and locks the device.
- \* Automatically creates the Gatekeeper and locks the device Processes the system commands; unlocks and deletes the Gatekeeper.

#### **NEW QUESTION 24**

An SRDF/Metro pair was created with vWitness After a network outage, the administrator discovers that the SRDF pair is in an ActiveBias state What is the correct sequence of events to bring the SRDF pair into an ActiveActive state?



# **NEW QUESTION 25**

A systems administrator asks whether their host is supported for non-disruptive migration (NDM) between PowerMax arrays. The host they plan to migrate has one HBA and no multipathing software. What information should be provided to the administrator?

- \* Install Solutions Enabler on the host
- \* NDM is supported for the host
- \* Upgrade to the latest host HBA driver version
- \* NDM is not supported for the host

## **NEW QUESTION 26**

A systems administrator wants to know how to convert SRDF ports back to FA ports on their PowerMax array What information should be provided \$\'?

- \* A Simplified SymmWin script must be run from the PowerMax MMCS
- \* Change can only be completed using Solutions Enabler or an upgraded bin file

- \* Make the change using Solutions Enabler or Unisphere for PowerMax
- \* Array will require an upgraded bin file to complete the change

What is the maximum number of supported cascaded Storage Group levels in PowerMax and VMAX Family arrays?

- \* 1
- \* 4
- \* 16
- \* 64

## **NEW QUESTION 28**

What is a minimum requirement for Dell EMC VSI 8.0 on a VMAX All Flash array?

- \* Unisphere 8.x
- \* Unisphere 9.x
- \* 5977 1125.1125
- \* 5977.1131.1131

## **NEW QUESTION 29**

On a PowerMax or VMAX Family array, what is the default Dynamic I/O distribution mode setting when a Storage Group is associated with Host I/O Limits?

- \* Balanced
- \* Never
- \* On Failure
- \* Always

#### **NEW QUESTION 30**

Two PowerMax arrays have been configured for replication using SRDF During a disaster recovery operation production has been transferred to the R2 devices at the target site. Which operation begins the transfer of accumulated invalid tracks from the R2s to the R1s while production work continues on the R2s?

- \* Update
- \* Fallback
- \* Resume
- \* Failover

#### **NEW QUESTION 31**

What would the RDF device and Link states be after an SRDF Update operation?

- \* R1=WD Link=RW. R2=RW
- \* R1=RW Link=NR. R2=RW
- \* R1=WD Link=NR R2=RW
- \* R1=RW Link=RW; R2=WD

# **NEW QUESTION 32**

Which PowerMax software packages include NorvDisruplive Migration?

\* FX and Pro

- \* Essentials and Pro
- \* F and FX
- \* F and Essentials

Which port flag is required for auto-provisioning?

- \* ACLX
- \* SPC2
- \* V
- \* SC3

# **NEW QUESTION 34**

Where is the automatic backup feature for the Solutions Enabler Group Name Services database set?

- \* Daemon options file
- \* SYMAPI options file
- \* SYMAPI variable
- \* SYMCLI environment variable

#### **NEW QUESTION 35**

In PowerMax VMAX All Flash and VMAX3 which thin provisioning component can be changed with SYMCLI or Unisphere?

- \* Storage Resource Pool
- \* Disk Group
- \* Storage Group
- \* Virtual Provisioning Pool

#### **NEW QUESTION 36**

What are the main options used to complete a configuration change using the synconfigure command?

- \* preview, prepare, commit
- \* preview, prepare, reserve
- \* preview query, reserve
- \* preview query, commit

# **NEW QUESTION 37**

Which Unisphere for PowerMax client connection authentication type is irrevocable once it is selected?

- \* LDAP SSL
- \* Multi-factor Authentication
- \* x.509 Common/Principal Name
- \* Windows AD Domain-based

#### **NEW QUESTION 38**

When creating SRDP groups, what is always identical on both the participating arrays?

- \* Port speed
- \* Name of the SRDF group
- \* SRDF group number

\* SRDF Directors

# **NEW QUESTION 39**

Refer to the Exhibit.





Which service levels are available for CKD devices \$\'?

- \* Service levels are not used
- \* All service levels
- \* Diamond, Bronze, and Optimized only
- \* Diamond and Platinum only

# **NEW QUESTION 40**

A host has LUNs assigned through a Masking View containing one regular Storage Group The Storage Group has the gold service level assigned One LUN requires a higher service level What is the correct sequence of steps required to assign the platinum service level to that LUN?





What takes place during an SRDF Establish operation?

- \* Changes made to the R1 are propagated to the R2. Changes made to the R2 are discarded
- \* Enables access to both the R1 and R2 devices on the hosts
- \* Changes made to the R2 are propagated to the R1 Changes made to the R1 are discarded.
- \* Resumes normal SRDF mirroring and host access

EMC DES-1121 Actual Questions and Braindumps: <a href="https://www.test4engine.com/DES-1121">https://www.test4engine.com/DES-1121</a> exam-latest-braindumps.html]