
# Give You Free Regular Updates on C\_TADM\_22 Exam Questions Oct 28, 2023 [Q48-Q72



Give You Free Regular Updates on C\_TADM\_22 Exam Questions Oct 28, 2023 Achieve the C\_TADM\_22 Exam Best Results with Help from SAP Certified Experts

SAP Certified Technology Consultant - SAP S/4HANA System Administration (C-TADM-22) exam is intended for individuals who wish to demonstrate their proficiency in the administration of SAP S/4HANA systems. C\_TADM\_22 exam is designed to test the candidate's knowledge of system administration, as well as their ability to troubleshoot and optimize system performance. C\_TADM\_22 exam covers topics such as system architecture, installation and configuration, system monitoring and maintenance, and database management.

Q48. When installing an SAP S/4HANA Server 1909 system, which actions can the Software Provisioning Manager

(SWPM) perform only when the installation is started with the option

SAPINST\_STACK\_XML? Note: There are 3 correct answers to this question. 
\* Apply a SPAM/SAINT update

- \* Set the password of user DDIC in client 000
- \* Set up Transport Management System (TMS)
- \* Import additional languages
- \* Install an SAP Host Agent

Q49. What actions can you perform using the SAP\_FIORI\_FOUNDATION\_S4 task list? Note: There are 3 correct

answers to this question.

- \* Schedule a job for calculation of SAPUI5 application index.
- \* Generate SAP Fiori foundation roles.
- \* Replicate backend catalogs.
- \* Enable SAP GUI for HTML.
- \* Create users with generated business roles.

Q50. Using standard tp settings, how does the transport strategy ' Queue-Driven Transports, Mass transports ' differ

from 'Queue-Driven Transports, Single transports'? Note: There are 3 correct answers to this question.

- \* Using the 'Import Request' button causes the imported transport requests to remain in the import queue.
- \* The 'Import All Requests' button is available.
- \* Return Code 16 is caused by an erroneous object in a transport request.
- \* Return Code 8 is considered a successful import.
- \* The import process can be scheduled in the background.

Q51. How does SAP HANA encrypt the data persistence layer?

- \* By row level
- \* By page level
- \* By column level
- \* By table level

Q52. Which file systems are supported for the data and log volumes of the SAP HANA 2.0 database system? Note:

There are 2 correct answers to this question.

- \* OCFS2
- \* Btrfs
- \* XFS
- \* GPFS

Q53. You have configured an SAP Web Dispatcher and set: wdisp/ssl\_encrypt=2

icm/server\_port\_<xx>=&#8230;PROT=HTTP. Which communication channels does this establish?

\* HTTP between the client and SAP Web Dispatcher. HTTPS between SAP Web Dispatcher and the SAP

## system

\* HTTPS between the client and SAP Web Dispatcher. HTTP between SAP Web Dispatcher and the SAP

## system

\* HTTP between the client and SAP Web Dispatcher. HTTP between SAP Web Dispatcher and the SAP

#### system

\* HTTPS between the client and SAP Web Dispatcher. HTTPS between SAP Web Dispatcher and the

#### SAP system

Q54. How can the system database administrator disable tenant database functionalities? Note: There are 2 correct

answers to this question.

- \* Using the hdbuserstore tool
- \* Using the Manage Restricted Features app
- \* Using the Manage Database Configuration app
- \* Using the resident hdblcm tool

Q55. You can use operation modes to change the quantity of which work process types? Note: There are 3 correct

answers to this question.

- \* Standby/restricted/reserved dialog work process
- \* Dialog work process
- \* Update work process
- \* Spool work process
- \* Background work process

Q56. You are using a standard three system landscape, DEV, QAS, and PRD. When will a change of a repository

object in the QAS system be treated as correction?

- \* If the object was created in DEV and transported to QAS via a transport of copies.
- \* If the object's name is in the SAP name range.
- \* If the object was created in DEV and transported to QAS via a workbench request.
- \* If the original system of the object is QAS.

**Q57.** You are using a Change and Transport System (CTS) for the transport of native SAP HANA applications.

Which tool can you use to create a transport request for these applications in the CTS system?

- \* Transport Organizer Web UI (in transaction STMS)
- \* Transport Organizer (Extended View) (in transaction SE01)
- \* Transport Organizer (in transaction SE09)
- \* Database Assistant (in transaction DB50N)

Q58. In an SAP S/4HANA Server system, a target system alias, FIORI, is maintained for source system alias

S4FIN. Which connection is relevant for the extraction of back-end catalogs with alias S4FIN?

- \* S4FIN\_RFC
- \* FIORI\_RFC
- \* S4FIN\_HTTPS
- \* FIORI HTTPS

Q59. How does a Transport of Copies differ from a Workbench Request? Note: There are 2 correct answers to this

# question

- \* After the import, repository objects in the target system are classified as copies.
- \* When creating the transport request, a target system without a consolidation route can be selected.
- \* No cofile is created, when releasing the transport request with the Transport Organizer (SE09).

\* When importing, the transport request is not forwarded to subsequent delivery systems.

Q60. Which instances have processes that establish a connection to the database of an SAP system?

Note: There are 2 correct answers to this question.

- \* Enqueue Replication Server
- \* Primary Application Server
- \* Additional Application Server
- \* Central Services

Q61. When importing a transport request, which steps are executed by a batch job? Note: There are 3 correct

answers to this question.

- \* Import of dictionary objectsB. Distribution
- \* Activation of dictionary objects
- \* Move nametab
- \* Activation of ABAP programs

Q62. When you install SAP Solution Manager 7.2 AS Java, what information do you need to provide? Note: There

are 2 correct answers to this question.

- \* The decision whether to install an SAP Gateway integrated in the SCS instance
- \* The package path to an archive for SAP JVM
- \* The package path to additional language installation media
- \* The decision to use an External ABAP System as UME Data Source

Q63. You want to configure the TMS QA Approval procedure for an AS ABAP-based system landscape.

Which approval steps can you choose? Note: There are 3 correct answers to this question.

- \* To be approved by request owner
- \* To be approved by developer
- \* To be approved by system administration
- \* To be approved by project manager
- \* To be approved by department

Q64. In which subdirectories of sapmnt can you find information about startup problems of an AS Javabased SAP

system? Note: There are 2 correct answers to this question.

- \* D<instance no.>/work
- \* J<instance no.>/work
- \* J<instance no.>/log
- \* SCS<instance no.>/work

Q65. Under which Java System Properties category do you find an AS Java-based Manager in the SAP NetWeaver

Administrator (NWA)?

- \* Kernel
- \* VM Environment
- \* Applications
- \* Services

Q66. You want to configure the transport domain for the transport of AS Java-based SAP systems (for example SAP

Enterprise Portal). Which entry type do you create for these systems in the System Overview area of the

Transport Management System (transaction STMS)?

- \* Virtual System
- \* External System
- \* Java Stack Configuration
- \* Non-ABAP System

Q67. When performing a local client copy with transaction SCCLN, in which client is it recommended to start the

client copy?

- \* A client different from both the source and the target client
- \* The source client
- \* The target client

Q68. During startup, an AS Java-based SAP system generates an error. Which file contains information about

manager and services?

- \* dev\_jstart
- \* dev\_icm
- \* std\_server<X>.out
- \* jvm\_bootstrap.out

Q69. Using the Java Startup and Control Framework, what is the correct sequence of steps to start an application

server of an AS Java-based SAP system?

\* Start Offline Deployment Start bootstrap process Start ICM/Server process(es) Connect to Message

Server

\* Connect to Message Server Start Offline Deployment Start bootstrap process Start ICM/Server

process(es)

\* Start ICM/Server process(es) Start Offline Deployment Start bootstrap process Connect to Message

Server

\* Connect to Message Server Start bootstrap process Start Offline Deployment Start ICM/Server

process(es)

Q70. You are running an AS ABAP-based SAP system. Which parts does the Internet Server Cache (ISC) of the

ICM process consist of? Note: There are 3 correct answers to this question.

- \* Browser cache
- \* CPU cache
- \* Disk cache
- \* UFO cache
- \* Memory cache

Q71. You plan to update an AS ABAP-based SAP system with the role "Quality Assurance System".

Which of the following actions might be required before you start Software Update Manager

(SUM) for this system? Note: There are 2 correct answers to this question.

- \* Import the modification adjustment transports from the update of the "Development System".
- \* Follow the instructions in the SAP Notes for the used version of SUM.
- \* Update the database software.
- \* Execute the SAP Load Generator (SGEN) transaction for invalid loads.

Q72. You want to set up a printer locally on a Microsoft Windows-based AS ABAP. Which host spool access

method must you use?

- \* L
- \* []
- \* G
- \* C

Detailed New C\_TADM\_22 Exam Questions for Concept Clearance:

https://www.test4engine.com/C\_TADM\_22\_exam-latest-braindumps.html]