


Updated Nov-2023 Test Engine to Practice C-TADM-23 Dumps & Practice Exam [Q49-Q70]



Updated Nov-2023 Test Engine to Practice C-TADM-23 Dumps & Practice Exam [Q49-Q70]

Updated Nov-2023 Test Engine to Practice C-TADM-23 Dumps & Practice Exam
Dumps Collection C-TADM-23 Test Engine Dumps Training With 82 Questions

NO.49 When performing a local client copy, which client copy profiles are available? Note: There are 3 correct answers to this question.

- * Client-specific customizing and cross-client customizing
- * Client-specific customizing including the authorization profiles
- * Application data and user master data
- * User master data, user roles, and authorization profiles
- * All client data except change documents

NO.50 You are importing an SAP Support Package Stack with transaction SPAM. Which steps require SAP system downtime?
Note: There are 2 correct answers to this question.

- * Modification adjustment of other objects (SPAU)
- * Import of inactive dictionary objects (DD IMPORT)
- * Activation of dictionary objects (DD ACTIVATION)
- * Modification adjustment of dictionary objects (SPDD)

NO.51 You can use operation modes to change the quantity of which work process types? Note: There are 3 correct answers to this question.

- * Standby/restricted/reserved dialog work process
- * Dialog work process
- * Update work process
- * Spool work process
- * Background work process

NO.52 Which tools can be used to create SAP Fiori catalogs? Note: There are 2 correct answers to this question.

- * SAP Fiori launchpad designer (/UI2/FLPD_CUST)
- * Launchpad customizing (LPD_CUST)
- * SAP Fiori launchpad settings (/UI2/FLP_CUS_CONF)
- * SAP Fiori launchpad content manager (/UI2/FLPCM_CUST)

NO.53 In ABAP programs, what are features of ABAP SQL that are not available with native SQL? Note:

There are 2 correct answers to this question.

- * Database independence
- * Execution without a work process
- * Execution of ABAP programs as database procedures
- * Use of the AS ABAP data buffer

NO.54 For AS ABAP-based SAP systems, you can use Software Update Manager to update which of the following? Note: There are 2 correct answers to this question.

- * Database system
- * Software component SAP_BASIS
- * Implemented SAP Notes
- * SAP kernel

NO.55 Under which Java System Properties category do you find an AS Java-based Manager in the SAP NetWeaver Administrator (NWA)?

- * Kernel
- * VM Environment
- * Applications
- * Services

NO.56 You want to configure the TMS QA Approval procedure for an AS ABAP-based system landscape.

Which approval steps can you choose? Note: There are 3 correct answers to this question.

- * To be approved by request owner
- * To be approved by developer
- * To be approved by system administration
- * To be approved by project manager
- * To be approved by department

NO.57 You want to add an SAP Fiori group to a user's SAP Fiori launchpad. To what do you have to assign the SAP Fiori group?

- * To a user group assigned to the user
- * To a parameter ID of the user

- * To a role assigned to the user
- * To an authorization profile assigned to the user

NO.58 Which instances have processes that establish a connection to the database of an SAP system?

Note: There are 2 correct answers to this question.

- * Enqueue Replication Server
- * Primary Application Server
- * Additional Application Server
- * Central Services

NO.59 In an SAP S/4HANA Server system, a target system alias, FIORI, is maintained for source system alias S4FIN. Which connection is relevant for the extraction of back-end catalogs with alias S4FIN?

- * S4FIN_RFC
- * FIORI_RFC
- * S4FIN_HTTPS
- * FIORI_HTTPS

NO.60 How can the system database administrator disable tenant database functionalities? Note: There are 2 correct answers to this question.

- * Using the hdbuserstore tool
- * Using the Manage Restricted Features app
- * Using the Manage Database Configuration app
- * Using the resident hdblcm tool

NO.61 You want to configure the transport domain for the transport of AS Java-based SAP systems (for example SAP Enterprise Portal). Which entry type do you create for these systems in the System Overview area of the Transport Management System (transaction STMS)?

- * Virtual System
- * External System
- * Java Stack Configuration
- * Non-ABAP System

NO.62 What action(s) can you perform in the SAP HANA cockpit to back up the complete database system?

- * Back up the system database and all tenant databases individually.
- * Back up the system database and all tenant databases in one step.
- * Back up the system using a fallback snapshot for every database.
- * Back up the system using a database snapshot and a data snapshot

NO.63 You are installing an SAP S/4HANA Server 1909 system, using s4xhost as application server host and haxhost as database host. Which actions can Software Provisioning Manager (SWPM) perform? Note: There are 3 correct answers to this question.

- * Set database import parameters for the database running on haxhost
- * Copy the database installation media from s4xhost to haxhost
- * Install the Central Service instance on s4xhost
- * Install the database on haxhost
- * Copy the database backup media from s4xhost to haxhost

NO.64 In the role maintenance transaction (PFCG) of an AS ABAP-based SAP system, which step grants the authorizations of a role to a user master record?

- * Assign a user to the role

- * Save the role
- * Generate the profile
- * Perform a user comparison

NO.65 Which parameters are mandatory when using the HDBLCM tool to install the SAP HANA database system in batch mode?

Note: There are 2 correct answers to this question.

- * Installation path
- * SAP HANA System ID (SID)
- * Data and log path
- * Password of user sapadm

NO.66 What is the definition of 'Transport Group' in Transport Management System (TMS)?

- * A collection of systems that are assigned to the same transport target group
- * A collection of systems that share the same transport directory
- * A collection of systems that are connected by transport routes
- * A collection of systems that are controlled by the same transport domain controller

NO.67 The SAP Fiori launchpad is working for your users. How can you enable access to the SAP Easy Access menu for them in the app finder? Note: There are 2 correct answers to this question.

- * By providing an HTTP destination type H named FIORI_CLASSICUI_HTTPS (transaction SM59)
- * By applying the correct settings in the SAP Fiori launchpad configuration (transaction /UI2/FLP_SYS_CONF or /UI2/FLP_CUS_CONF)
- * By assigning the correct target mappings, shipped via catalog /UI2/CLASSICAL_GUI_MENU
- * By assigning the authorization to start transaction SEARCH_SAP_MENU

NO.68 You are working in an AS ABAP-based SAP system that runs on Linux. here is the spool data stored when you use the value 'G' for the profile parameter rspo/store_location?

- * /usr/sap/<SID>/D<nn>/work
- * /usr/sap/<SID>/sys/global
- * /usr/sap/<SID>/D<nn>/data
- * /usr/sap/<SID>/sys/profile

NO.69 In an AS ABAP-based SAP system, where is the lock table stored?

- * Main memory of the Primary Application Server instance
- * File system of the Primary Application Server instance
- * Main memory of the Central Services instance
- * Database

NO.70 You are using a Change and Transport System (CTS) for the transport of native SAP HANA applications. Which tool can you use to create a transport request for these applications in the CTS system?

- * Transport Organizer Web UI (in transaction STMS)
- * Transport Organizer (Extended View) (in transaction SE01)
- * Transport Organizer (in transaction SE09)
- * Database Assistant (in transaction DB50N)

SAP C-TADM-23 Dumps Cover Real Exam Questions: https://www.test4engine.com/C-TADM-23_exam-latest-braindumps.html

]