


## Validate your Skills with Updated P\_C4H340\_24 Exam Questions & Answers and Test Engine [Q39-Q58]



Validate your Skills with Updated P\_C4H340\_24 Exam Questions & Answers and Test Engine  
Tested & Approved P\_C4H340\_24 Study Materials Download Free Updated 82 Questions

**Q39.** What can you do within the integration UI Tool in Backoffice? Note: There are 2 correct answer to this question.

- \* Create a search restriction to secure an integration object for only a certain integration user group.
- \* Set up access rights for integration objects.
- \* Force-delete an integration object even if it is associated with an InboundChannelConfiguration (ICC).
- \* Export the configuration types so that they can be imported into a target system.

**Q40.** What is the purpose of the dynamic forms in the Backoffice?

- \* To provide a dynamic extension of type definitions in the SAP Commerce platform
- \* To provide dynamic client-side validation of web forms
- \* To provide a dynamic layout of the wizards at runtime using drag and drop
- \* To enable dynamic behaviors in the user interface of Backoffice applications

**Q41.** You are creating an extension with a web module. What do you need to ensure? Note: There are 2 correct answer to this question.

- \* An extension with a web module can only be extended with an addon.
- \* An extension with a web module must have a web folder.
- \* An extension with a web module must always have a core module.
- \* The web root must be set in the web module directive in the extensioninfo.xml file.

**Q42.** How is the primary key (PK) for an SAP Commerce Cloud item created? Note: There are 2 correct answer to this question.

- \* It is automatically generated and assigned.
- \* It is generated from a counter and the type code of the item.
- \* It is generated from the item's unique business key(s).
- \* It is provided by the user in the Create wizard or as a column value in ImpEx.

**Q43.** When you define an aspect in your manifest.json file, what types of information should you provide? Note: There are 2 correct answer to this question.

- \* properties
- \* addons
- \* webapps
- \* extensions

**Q44.** Which component configurations does the ServiceLayer architecture promote? Note: There are 3 correct answer to this question.

- \* Services orchestrate Strategies
- \* Services orchestrate Converters
- \* Facades orchestrate Converters
- \* Facades orchestrate Strategies
- \* Facades orchestrate Services

**Q45.** How can you define a new event? Note: There are 2 correct answer to this question.

- \* Create a new EventTemplate in an ImpEx file.
- \* Create a new ItemType in an items.xml file.
- \* Extend a pre-defined event OTO in a custom beans.xml.
- \* Create a new OTO in a beans.xml file.

**Q46.** How can you start a business process in SAP Commerce Cloud? Note: There are 2 correct answer to this question.

- \* Use the hot folder functionality by creating a file in the configured hot file.
- \* Use the Backoffice Business Process section.
- \* Invoke the appropriate method of the BusinessProcessService from a script in the hybris Administration Console (hAC) scripting console.
- \* Invoke the appropriate method of the BusinessProcessService from Java code.

**Q47.** What causes item data to be invalidated in the SAP Commerce Cloud entity cache? Note: There are 2 correct answer to this question.

- \* Receiving an invalidation event for the item via cluster messaging
- \* Calling the modelService.create() method passing a Model class
- \* Calling a setter method on a Model class
- \* Calling the modelService.save() method passing an item model

**Q48.** When you are defining properties in manifest.json, which of the following attributes are you allowed to use? Note: There are 3 correct answer to this question.

- \* value
- \* name

- \* environment
- \* key
- \* persona

**Q49.** In an extension named myext, you defined Pump, a subtype of the Product item type with a property named efficiency. You have also extended the productDTO bean to have an efficiency property. To copy the efficiency property to the productDTO, what do you need to do? Note: There are 2 correct answer to this question.

- \* Write a PumpProductConverter class that extends AbstractPopulatingConverter, and copies the efficiency property from the Pump item to the productDTO bean if the item is an instance of Pump. Configure an instance of this converter in myext-spring.xml.
- \* Make sure the definition of the Pump item type defines the efficiency attribute with persistence type property. When you run ant all, the productConverter class generated in bootstrap/gensrc will copy the efficiency property to the productDTO.
- \* Create a PumpPopulator class that extends ProductPopulator and, if necessary, copies the efficiency property from the Pump item to the productDTO bean. In myext-spring.xml, redefine the productPopulator alias to point to an instance of PumpPopulator.
- \* Write a PumpAttributePopulator class that copies the efficiency property from the item to the DTO only if its method is passed an instance of PumpModel. Define a bean for this new class in myext-spring.xml, and use a modifyPopulatorList bean to add it to the productConverter's list of populators.

**Q50.** What can you configure on the Endpoint Configuration page in Cloud Portal? Note: There are 3 correct answer to this question.

- \* SSL Certificate
- \* IP Filter Sets
- \* Trusted Certificates
- \* Redirect Sets
- \* Host Alias Sets

**Q51.** Which services are included in the basecommerce extension to address customer services functionality? Note: There are 3 correct answer to this question.

- \* OrderCancelService
- \* ReturnService
- \* CustomerReviewService
- \* CustomerAccountService
- \* RefundService

**Q52.** You restart the platform without running ant all;. Which of the following changes take effect? Note: There are 2 correct answer to this question.

- \* Addition of a Spring bean definition
- \* Removal of an extension from the localextensions.xml file
- \* Definition of a new item type in the items.xml file for an extension
- \* Changes to database properties in the local.properties file

**Q53.** You are creating a product with a new feature using a classification system. What should you pay attention to? Note: There are 2 correct answer to this question.

- \* Use feature descriptor values if the values of the new feature are limited to a selection.
- \* Create an empty classification unit even if the new feature doesn't have a unit.
- \* Use a feature descriptor to represent the name of the new feature and assign it to the product.
- \* Create a classifying category with an attribute assignment model and assign it to the product.

**Q54.** Which features does the Cloud Hot Folders module support? Note: There are 2 correct answer to this question.

- \* Direct configuration of Hot Folders in the Cloud Portal
- \* Media using external URLs in uploaded ImpEx

- \* Zip archives with Impex, media and CSV files
- \* Data export into Azure Blob storage.

**Q55.** You have these example item types defined in myext-items.xml: What additional steps are needed to support the identification attribute?

```
<?xml version="1.0" encoding="ISO-8859-1"? >

<items>

< itemtype code="Passport" autocreate="true" generate="true" >

< deployment typecode="8995" table="passport" />

< attributes > </attributes>

< /itemtype >

< itemtype code="Student" extends="Customer" autocreate="true" generate="true" >

< attributes >

< attribute type="localized:Passport" qualifier="identification" >

< persistence type="property" />

< /attribute >

</attributes>

< /itemtype >

</items>
```

What additional steps are needed to support the identification attribute?

Define a one-to-many relation between Student and Passport using a relation tag with parameter `localized="true"`.

Add a `maptype` tag for `localized:Passport` with parameters `argumenttype="Language"` and `returntype="Passport"`.

Run an `ant updatesystem` command. A `passportlp` table will be generated to store the localized property values.

Define a localized Passport attribute for the Student type in `myext/resources/localization/myext- locales_XY.properties`.

- \* Define a one-to-many relation between Student and Passport using a relation tag with parameter `localized="true"`;
- \* Add a `maptype` tag for `localized:Passport` with parameters `argumenttype="Language"` and `returntype="Passport"`;
- \* Run an `ant updatesystem` command. A `passportlp` table will be generated to store the localized property values.
- \* Define a localized Passport attribute for the Student type in `myext/resources/localization/myext- locales_XY.properties`.

**Q56.** You are asked to define a new business process. What steps do you perform? Note: There are 3 correct answer to this question.

- \* Define the process in BPMN format.
- \* Define the actions as Spring beans.
- \* Create actions in Java code.
- \* Define actions as new item types.
- \* Define the process in XML format.

**Q57.** To install and configure the Solr server in cloud mode, which sequence of steps should you use?

- \* Disable the autostart for the default instance. Enable the autostart for the cloud instance. Set the cloud instance mode to true.
- \* Disable the autostart for the cloud instance. Enable the autostart for the default instance. Set the default instance mode to cloud.
- \* Disable the autostart for the default instance. Enable the autostart for the cloud instance. Set the cloud instance mode to cloud.
- \* Disable the autostart for the cloud instance. Enable the autostart for the default instance. Set the cloud instance mode to true.

**Q58.** Which of the following are valid types of environments in SAP Commerce Cloud in the public cloud? Note: There are 3 correct answer to this question.

- \* Staging
- \* Production
- \* Pre-Production
- \* Test
- \* Development

**Regular Free Updates P\_C4H340\_24 Dumps Real Exam Questions Test Engine:**

[https://www.test4engine.com/P\\_C4H340\\_24\\_exam-latest-braindumps.html](https://www.test4engine.com/P_C4H340_24_exam-latest-braindumps.html)