


## [Q41-Q64 2024 Valid C-C4H450-04 Dumps for Helping Passing SAP Exam!



## [Q41-Q64] 2024 Valid C-C4H450-04 Dumps for Helping Passing SAP Exam!

**2024 Valid C-C4H450-04 Dumps for Helping Passing SAP Exam! Download Free SAP C-C4H450-04 Exam Questions & Answer Q41.** While monitoring messages in SAP Cloud Platform Integration, you see the following error:

[NoArtifactDescriptorFoundForArtifactName]:No artifact descriptor found for artifactName C4C\_0M1R00R\_TR16. What could be the problem? Note: There are 2 correct Answers to this question.

- \* The authentication artifact name was spelled incorrectly in the integration flow configuration.
- \* The basic authentication artifact was not deployed
- \* The client certificate uploaded into the integration flow has no credentials.
- \* The SAP Cloud Platform Integration certificate has expired.

**Q42.** You added a new field named `ENVIRONMENT_RISK` in the product business object in SAP Cloud for Customer. You want to populate the new field `ENVIRONMENT_RISK` in SAP Cloud for Customer with the value of the standard field `EnvironmentRelevanceIndicator` in SAP S/4HANA. How would you extend the message mapping in SAP Cloud Platform Integration to perform this task?

- \* Create an `ENVIRONMENT_RISK` variable in externalized parameters in SAP Cloud Platform Integration. Update the externalized parameters with the variable for the `ENVIRONMENT_RISK` field.

Save and activate the updated externalized parameters.

- \* Export the WSDL from SAP S/4HANA. Import the WSDL into the communication arrangement in SAP Cloud for Customer.

Update the mapping with the new WSDL from SAP Cloud for Customer.

- \* Add the `ENVIRONMENT_RISK` field to the target message WSDL in SAP Cloud Platform Integration.

Map the `ENVIRONMENT_RISK` target field with source field `EnvironmentRelevanceIndicator` in the message mapping. Activate the new mapping.

- \* Download the extended WSDL from SAP Cloud for Customer. Import the WSDL into SAP Cloud Platform Integration. Map the `ENVIRONMENT_RISK` target field with source field

`EnvironmentRelevanceIndicator` in the message mapping.

**Q43.** To which of the following objects can you assign a field reference to control field selection for material master records? Note: There are 2 correct Answers to this question.

- \* Company code
- \* MRP area
- \* Industry sector
- \* Plant

**Q44.** What determines the sequence in which materials are planned during the material requirements planning (MRP) run?

- \* The low-level code of the materials
- \* The replenishment lead time of the materials
- \* The control parameters of the MRP run
- \* The creation date of the materials

**Q45.** How are number ranges configured when you create a contact in SAP Cloud for Customer and replicate it to SAP ERP? Note: There are 2 correct Answers to this question.

- \* An external number range is created in SAP Cloud for Customer.
- \* An external number range is created in the value mapping in the middleware.
- \* An external number range is created in SAP ERP.
- \* An automatic number range is created in SAP Cloud for Customer.

**Q46.** Which of the following default values can you control with the EVO user parameter? Note: There are 3 correct Answers to this question.

- \* Copying of conditions from last purchase order
- \* Confirmation control key
- \* Message type of system messages (error, warning, no message)
- \* Info record update
- \* Order acknowledgment requirement

**Q47.** What are the different types of SAP Fiori apps? Note: There are 3 correct Answers to this question.

- \* Transactional
- \* Factsheet
- \* Configuration
- \* Master data
- \* Analytical

**Q48.** Which steps are mandatory during the setup of the data replication framework? Note: There are 3 correct Answers to this question.

- \* Define Logical System
- \* Define Business System
- \* Define Communication User

- \* Define Service Group
- \* Define Data Replication Model

**Q49.** What can be a reason for an HTTP 401 error in the SAP Cloud Platform Integration message monitoring?

- \* The external URL configured in the integration flow is incorrect.
- \* The client certificate or user password credentials are missing or are incorrect.
- \* The server certificate is not uploaded in the certificate list.
- \* The service endpoint does not exist.

**Q50.** You are configuring the field selection for the material master. Which of the following field attributes has the highest priority?

- \* Hide
- \* Display
- \* Optional
- \* Required

**Q51.** Which of the following can you do with an item category? Note: There are 2 correct Answers to this question.

- \* Control the item numbering in a purchase order.
- \* Map different procurement processes such as subcontracting or consignment.
- \* Change the short description of an item category in customizing.
- \* Create new custom item categories in customizing.

**Q52.** What parameters need to be maintained in DRFOUT (Execute Data Replication) to send a material from SAP S/4HANA to SAP Cloud for Customer? Note: There are 2 correct Answers to this question.

- \* Outbound implementation
- \* Business Partner role
- \* Logical system
- \* Replication model

**Q53.** What does SAP recommend in SAP Cloud for Customer before you perform the initial loads? Note: There are 3 correct Answers to this question.

- \* Switch off Feeds
- \* Notify SAP Cloud Operations
- \* Switch off Address Checks
- \* Deactivate Code List Mappings
- \* Undeploy CPI Artifacts

**Q54.** Prepackaged integration content is delivered for SAP Cloud Platform Integration and SAP Process Orchestration. When do you use SAP Process Orchestration instead of SAP Cloud Platform Integration to integrate SAP ERP with SAP Cloud for Customer?

- \* SAP Process Orchestration is already in use and can be re-used for the integration project.
- \* SAP Process Orchestration is configured to use the Java-only stack.
- \* SAP Process Orchestration has at least release 7.10.
- \* SAP Cloud Platform Integration cannot be installed within the time frame required for the project.

**Q55.** Where can you activate tracing for analyzing OData requests in SAP Cloud for Customer?

- \* OData Service Explorer
- \* OData Web Service Message Monitoring
- \* OData API Monitor
- \* OData Event Notifications

**Q56.** When do you download the WSDL from the communication arrangement for integration between SAP S/4HANA and SAP

Cloud for Customer?

- \* After configuring the communication arrangement for the first time
- \* When using a user ID and password for the authentication
- \* After adding an extension field using the adaptation tools.
- \* When using client certificates for the authentication

**Q57.** You are responsible for releasing blocked supplier invoices. Which of the following options does SAP S/4HANA offer? Note:  
There are 2 correct Answers to this question.

- \* Use the My Inbox SAP Fiori app if a workflow has been implemented for this purpose.
- \* Choose the Supplier Invoices List SAP Fiori app and branch to the invoice to be released.
- \* Choose the Monitor Payments SAP Fiori app and branch to the invoice to be released.
- \* Choose the Schedule Billing Release SAP Fiori app for an automatic release.

**Q58.** Which objects are exchanged bi-directionally between SAP Cloud for Customer and SAP S/4HANA? Note:

There are 2 correct Answers to this question.

- \* Invoice and Delivery Note
- \* Sales Orders and Quotes
- \* Accounts and Contacts
- \* Products and Van Stock

**Q59.** When you enable the replication of sales orders, which scoping option needs to be activated?

- \* Integration with SAP Cloud Identity
- \* Integration of Master Data
- \* Integration with SAP ERP
- \* Integration into Sales, Service, and Marketing Processes

**Q60.** Where can you verify My System ID (which serves as tenant ID) in the SAP Cloud for Customer configuration?

- \* Service Control Center
- \* Communication Arrangements
- \* Communication Systems
- \* Business Configuration

**Q61.** Which transaction codes do you use to register and activate the IDoc service on SAP ERP?

- \* SRTIDOC and SICF, respectively
- \* SICF and IDoc, respectively
- \* IDoc and RBDMIDOC, respectively
- \* SICF and RBDMIDOC, respectively

**Q62.** Which proxy type should you select to configure an integration flow using SAP Cloud Connector?

- \* Reverse proxy
- \* On-premise
- \* Internet
- \* Forward proxy

**Q63.** The following screenshot is an IDoc error from SAP ERP. What does the error message shown in the screenshot indicate?

- \* The error indicates that the SAP Cloud for Customer server certificate has expired.
- \* The error indicates that the SAP Cloud Platform Integration client certificate has expired.
- \* The error indicates missing authorization when the message is received in SAP Cloud Platform Integration.
- \* The error indicates invalid authentication when the message is received in SAP Cloud for Customer.

**Q64.** What security method is mandatory in the architecture between SAP Cloud for Customer and SAP Cloud Platform Integration?

- \* Client certificate authentication
- \* HTTPS communication
- \* Forward proxy
- \* Reverse proxy

**C-C4H450-04 Exam Dumps For Certification Exam Preparation:**

[https://www.test4engine.com/C-C4H450-04\\_exam-latest-braindumps.html](https://www.test4engine.com/C-C4H450-04_exam-latest-braindumps.html)