# [Q19-Q39 2024 Reliable Study Materials & Testing Engine for 5V0-63.23 Exam Success!



2024 Reliable Study Materials & Testing Engine for 5V0-63.23 Exam Success! Validate your Skills with Updated 5V0-63.23 Exam Questions & Answers and Test Engine NEW QUESTION 19

What is the purpose of the Workspace ONE UEM Security Pin?

- \* Serves as a second layer of security for administrators while preventing inadvertent commands.
- \* Provides a second factor of authentication for administrators during console login.
- \* Provides multi-factor authentication for users during device enrollment.
- \* Serves as a second layer of security for end users while preventing inadvertent commands.

# **NEW QUESTION 20**

Which two statements are true about Content Gateway and Tunnel on Unified Access Gateway?

# (Choose two.)

- \* Both can be configured with the same hostname on port 8443.
- \* Both can be configured with the same hostname on different ports.
- \* Both can be configured on port 8443 with different hostnames.

- \* Both can be configured with the same hostname on port 443.
- \* Both can be configured on port 443 with different hostnames.

#### **NEW QUESTION 21**

What is the VMware recommended practice if you want to apply specific Conditional Access to all your Apple iOS devices regardless of browser or application used on the Apple iOS devices?

- \* Create a brand new Access Policy to only contain Apple iOS specific access rules
- \* Prioritize Apple iOS platform in Access Policies in the VMware Identity Manager Console
- \* Remove other access rules from Access Policies except the Apple iOS access rule
- \* Create a custom AirWatch SDK profile and assign it to the Apple iOS devices

## **NEW QUESTION 22**

For federal clients, FIPS 140-2 and AES 256-bit encryption are applied to which three areas?

(Choose three.)

- \* data in use
- \* data in flying
- \* data in pace
- \* data in rest
- \* data in transit

#### **NEW QUESTION 23**

An administrator is tasked with determining the root cause for a recent outage where devices were not able to authenticate. An investigation revealed a single AirWatch Cloud Connector (ACC) server that had a disk error which caused it to be completely unresponsive.

Which VMware resiliency recommendation would have prevented this outage?

- \* High Availability
- \* Disaster Recovery
- \* Cloud Hosted ACC
- \* Restart ACC

https://docs.vmware.com/en/VMware-Workspace-ONE-UEM/1909/WS1-ACC.pdf A single point of failure becomes more resilient with High Availability

## **NEW QUESTION 24**

Which three are features of the Workspace ONE Content Gateway service? (Choose three.)

- \* Encrypted communications using SSUTLS.
- \* Secure access to internal repositories.
- \* Provides health status on external repositories
- \* Support for most corporate file servers.
- \* Provides email notification for Exchange mail.
- \* Explanation:

Reference: https://techzone.vmware.com/configuring-edge-services-vmware-unified-access-gateway-vmware-workspace-one-operational-tutorial# 984128

- 23. Which is used to authenticate and encrypt traffic from individual applications on compliant devices to internal resources?
- A. VMware Tunnel
- B. Device Compliance
- C. Workspace ONE Intelligence
- D. Email Notification Service

#### **NEW QUESTION 25**

Which platform is responsible for securing external access to Horizon desktops and applications?

- \* VMware: AppDefense
- \* Horizon Cloud Connector
- \* Unified Access Gateway
- \* VMvware Tunnel

## **NEW QUESTION 26**

You are an administrator configuring custom reports in Workspace ONE Intelligence.

What is the maximum number of custom reports you can create per Organization Group (OG)?

- \* 10
- \* 50
- \* 99
- \* 500

#### **NEW QUESTION 27**

Which is required to deliver a Check In, Check Out experience on an Android Device?

- \* Block open enrollment into Workspace ONE UEM.
- \* Enable VMware Workspace ONE Intelligence.
- \* Deliver Launcher profile to the end-user.
- \* Use a basic user as a staging account.

https://docs.vmware.com/en/VMware-Workspace-ONE-UEM/services/Boxer\_Admin\_Guide/GUID-

CD118E94-18F2-4BB2-AAA7-

C3673066E209.html#:~:text=Workspace%20ONE%20Boxer%20supports%20Check,in%20process%20f or%20CICO%20users.

# **NEW QUESTION 28**

Which type of design is a diagram that includes network zones, network components, server locations, and hardware recommendations?

- \* Physical
- \* Logical
- \* Theoretical
- \* Conceptual

#### **NEW QUESTION 29**

Which underlying technology does Automation in Workspace ONE Intelligence use to execute Actions?

- \* SOAP API
- \* Java
- \* REST API
- \* PowerShell

#### **NEW QUESTION 30**

Which two Workspace ONE UEM core components are required for all on-premises environments?

(Choose two.)

- \* Device Services
- \* AirWatch Cloud Connector
- \* Unified Access Gateway
- \* Secure Email Gateway
- \* Console Services

Reference: https://techzone.vmware.com/resource/workspace-one-uem-architecture#scalability

#### **NEW QUESTION 31**

An administrator must ensure enrolled corporate owned Android Enterprise devices do not update during the holiday season.

Which is VMware's recommended best practice to accomplish this?

- \* Deliver 'System Updates ' profile with change freeze payload.
- \* Deliver 'System Updates ' profile that defers updates up to 30 days.
- \* Deliver 'Restrictions ' profile that disables chrome on devices.
- \* Deliver 'Restrictions' profile that disables Play Store on devices.

#### **NEW QUESTION 32**

An administrator would like to track these details for all Windows desktops managed by Workspace ONE UEM:

driver details for a mouse driver

warranty information for OS

registry value of internal apps

Which Workspace ONE UEM utility can the administrator use?

- \* Create LGPO and assign to Windows devices.
- \* Create sensors and assign to Windows devices.
- \* Create an OEM update profile and assign to Windows devices.
- \* Create Application Control profile and assign to Windows devices.

Reference: https://docs.vmware.com/en/VMware-Workspace-ONE-

UEM/services/Windows\_Desktop\_Device\_Management/GUID-uemWindeskSensors.html

#### **NEW QUESTION 33**

Which Security Assertion Markup Language (SAML) configuration item is a pre-requisite to creating a third party identity provider

in Workspace ONE Access?

- \* SAML AuthN Request
- \* SAML Metadata
- \* SAML Assertion
- \* SAML AuthN Context

 $https://docs.vmware.com/en/VMware-Workspace-ONE-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/20.01/ws1\_access\_authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authentication/GUID-Access/authenticati$ 

0C459D5A-A0FF-4893-87A0-10ADDC4E1B8D.html

– here one of the prerequisites is: Obtain the appropriate third-party metadata information to add when you configure the identity provider in the Workspace ONE Access console. The metadata information you obtain from the third-party instance is either the URL to the metadata or the actual metadata.

# **NEW QUESTION 34**

An administrator has received complaints from end-users not receiving consistent email notifications on their iOS devices. Email is configured on the end-users devices using only the VMware Boxer email client. Boxer is only configured from Workspace ONE to use Office 365.

What can the administrator do to resolve the inconsistent email notifications?

- \* Configure VPN tunnel with a Boxer configuration, so that it is able to connect to the internal network.
- \* Configure Mobile SSO for VMware Boxer to prevent users from entering credentials.
- \* Configure SEG v2 to provide a better notification experience.
- \* Configure VMware ENS v2 to provide consistent notification experience.

#### **NEW QUESTION 35**

Which component load balances itself through the use of AirWatch Cloud Messaging (AWCM)?

- \* VMware Secure Email Gateway
- \* VMware Identity Manager Connector
- \* VMware AirWatch Cloud Connector
- \* VMware Unified Access Gateway
- \* Explanation:

Reference: https://docs.vmware.com/en/VMware-Workspace-ONE-UEM/1810/WS1-ACC.pdf

- 61. Which is the VMware recommended persistence mode for load balanced VMware Unified Access Gateway servers?
- A. SSL Session Persistence
- B. Source IP-based Persistence
- C. Cookie Persistence
- D. Destination IP-based Persistence

Reference: https://pdfs.loadbalancer.org/Vmware\_Horizon\_Deployment\_Guide.pdf

#### **NEW QUESTION 36**

Which of the following authentication methods is needed to be enabled/configured for an administrator to leverage Day Zero

#### Onboarding?

- \* Token Auth Adapter
- \* Workspace ONE UEM External Access Token
- \* FID02
- \* Certificate-based authentication
- \* Verify (Intelligent Hub)

Reference: https://docs.vmware.com/en/VMware-Workspace-

ONE/services/VMware Workspace ONEHub onboarding pre-hires/GUID-1DB5A54E-2F72-4629-

97C8-F456BBDB7F5E.html

https://docs.vmware.com/en/VMware-Workspace-

ONE/services/VMware\_Workspace\_ONEHub\_onboarding\_pre-hires/GUID-51B88155-B9AA-4B78- A6E6-7F59D74F9CED.html

#### **NEW QUESTION 37**

Where is Hub Services component co-located?

- \* Workspace ONE Intelligence
- \* Workspace ONE Access
- \* Workspace ONE Airlift
- \* Workspace ONE UEM

https://docs.vmware.com/en/VMware-Workspace-ONE/services/intelligent-hub\_IDM/GUID-012E7722-

FC83-4EF5-8ADD-2457E29720FE.html

## **NEW QUESTION 38**

A company has BYOD iOS devices and would like to give them access to internal sites in VMware Web without requiring full device management.

Which VMware best practice configuration is needed to enable this?

- \* Configure Tunnel for VMware Tunnel in the SDK settings.
- \* Configure Tunnel for VMware Tunnel Proxy in the SDK settings
- \* Configure a VPN Profile for VMware Tunnel.
- \* Configure a VPN Profile for VMware Tunnel Proxy.

Reference: https://docs.vmware.com/en/VMware-Workspace-ONE-

UEM/services/WS1\_UEM\_Managing\_Devices.pdf

#### **NEW QUESTION 39**

A customer is managing only iOS devices using Workspace ONE. They would like to begin managing Android devices.

What would be the first step an administrator needs to complete to begin managing Android Devices?

- \* Download and deploy Workspace ONE Unified Access Gateway.
- \* Complete Android EMM registration from Workspace One Console.
- \* Download and deploy Workspace ONE Access Connectors for Android devices.
- \* Configure a Workspace ONE AirLift Server-side Connector.

This Expo	page was exported from - Exam for engret date: Mon Nov 18 2:44:59 2024 / +0000 GMT	<u>ine</u>			
Regular Free Updates 5V0-63.23 Dumps Real Exam Questions Test Engine: https://www.test4engine.com/5V0-63.23 exam-latest-braindumps.html]					